

## DOCUMENT RESUME

ED 427 695

IR 019 246

AUTHOR Davies, John; Stewart, Scott; Weeks, Richard  
TITLE Knowledge Sharing over the World Wide Web.  
PUB DATE 1998-11-00  
NOTE 9p.; In: WebNet 98 World Conference of the WWW, Internet, and Intranet Proceedings (3rd, Orlando, FL, November 7-12, 1998); see IR 019 231. Figures may not reproduce clearly.  
PUB TYPE Reports - Descriptive (141) -- Speeches/Meeting Papers (150)  
EDRS PRICE MF01/PC01 Plus Postage.  
DESCRIPTORS Access to Information; \*Computer Mediated Communication; Computer Networks; Computer System Design; Cooperation; Information Dissemination; Information Management; Information Networks; \*Information Systems; Knowledge Representation; \*Organizational Communication; \*Sharing Behavior; Teamwork; \*User Needs (Information); Users (Information); \*World Wide Web  
IDENTIFIERS Interest Groups; \*Knowledge Management

## ABSTRACT

This paper describes a system that facilitates and encourages the sharing of knowledge among groups of users within or across organizations. KSE (Knowledge Sharing Environment) is a system of information agents for organizing, summarizing, and sharing knowledge from a number of sources, including the World Wide Web, an organization's internal intranet, or other users. Users are organized into closed user groups or communities of interest with related or overlapping interests, such as members of a project team, students studying the same subject (perhaps at different institutions), or members of an organizational department. As well as sharing explicit (codified) knowledge, sharing of tacit knowledge is encouraged via automatic suggestion of and support for contact between people with mutual concerns or interests. Following a brief discussion of storing and organizing knowledge in KSE, the paper focuses on the following topics related to tacit and explicit knowledge in KSE: (1) ways that KSE facilitates access to and automatic sharing of explicit knowledge, including e-mail notification, keyword retrieval, a "What's new?" feature, and interest groups; (2) adaptive agents; and (3) finding people and tacit knowledge, i.e., the social aspects of the system. Two figures present a typical KSE home page and the main features of the KSE. (Author/AEF)

\*\*\*\*\*  
\* Reproductions supplied by EDRS are the best that can be made \*  
\* from the original document. \*  
\*\*\*\*\*

# Knowledge Sharing over the World Wide Web

ED 427 695

"PERMISSION TO REPRODUCE THIS  
MATERIAL HAS BEEN GRANTED BY

G. H. Marks

TO THE EDUCATIONAL RESOURCES  
INFORMATION CENTER (ERIC)."

John Davies, Scott Stewart & Richard Weeks  
Knowledge Management Research  
BT Laboratories  
Ipswich  
IP5 3RE  
UK  
e-mail: [john.davies@bt-sys.bt.co.uk](mailto:john.davies@bt-sys.bt.co.uk)

U.S. DEPARTMENT OF EDUCATION  
Office of Educational Research and Improvement  
EDUCATIONAL RESOURCES INFORMATION  
CENTER (ERIC)

- ☐ This document has been reproduced as received from the person or organization originating it.
- ☐ Minor changes have been made to improve reproduction quality.

- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

**Abstract:** Large and increasing amounts of information are now available both on the Internet and on corporate intranets. With the availability of these vast networked information resources comes a requirement for tools to manage the information and provide users with the information they want, when they want it.

In this paper, we describe a system which facilitates and encourages the sharing of knowledge between groups of users within (or perhaps across) organizations. KSE (Knowledge Sharing Environment) is a system of information agents for organising, summarising and sharing knowledge from a number of sources, including the World Wide Web (WWW), an organization's internal intranet or from other users. Users are organized into closed user groups or *communities of interest* with related or overlapping interests. Such groups could be members of a project team, students studying the same subject (perhaps at different institutions), members of an organizational department, and so on. As well as sharing *explicit* (codified) knowledge, the sharing of *tacit* knowledge is encouraged via the automatic suggestion of and support for contact between people with mutual concerns or interests.

## 1. Introduction

There are now more than 60 million documents on World Wide Web (WWW) servers. Every day millions of people trawl the Internet for information using any one of a dozen or more different search tools. But whether they find what they're looking for sometimes depends not only on their skill, but also on their luck. Studies indicate that many existing search engines do not meet the needs of users [Pollock & Hockley 1996].

Recently, we have seen increasing interest in the use of Internet technology within organizations and the emergence of intranets [Cochrane 1997]. More and more information is being stored in intranet networks and this has led to the realization that these intranets are valuable repositories of corporate knowledge. Organizations are increasingly realising the importance of using knowledge and information residing in their networks for competitive advantage. It is forecast that annual spending on corporate intranets will top \$2.1bn in the UK in 1998; for western Europe the total is expected to be over \$7.7bn (Inteco Corporation 1997).

Key to the usefulness and viability of both the public Internet and corporate intranets, however, will be the ability to manage the information and provide users with the information they want, when they want it.

Of course, raw information in large quantities does not by itself solve business problems, produce value, or enhance competitiveness. Knowledge solves a problem. Knowledge is information transformed into a capability for effective action: that is to say, it produces competence leading to effective action. Thus today we see a great emphasis on the development of methods for turning information into knowledge. Information as a growing part of a company's asset base is often inefficiently captured, stored and sometimes simply lost. Knowledge management [Nonaka & Takeuchi 1995] is a strategy that turns an organization's information into greater productivity, new value, and increased competitiveness.

BEST COPY AVAILABLE

The first step in implementing a knowledge management solution is to provide seamless access to an organization's entire collection of information. Many organizations have begun this process through the provision of an intranet. The logical progression for organizations that have implemented intelligent information access software will be to extend it to deliver additional value to knowledge workers. Organizations need to look beyond their formal organizational structures to recognize communities of interest – informal networks of people with common interests who can share knowledge across departments, as well as perhaps continents and time zones.

In this paper, we describe a system which facilitates and encourages the sharing of information between communities of interest within (or perhaps across) organizations and which encourages people – who may not previously have known of each other's existence in a large organization – to make contact where there are mutual concerns or interests.

KSE (Knowledge Sharing Environment) is a system of information agents for organizing, summarizing and sharing knowledge from a number of sources, including the World Wide Web (WWW), an organization's internal intranet or from other users. Users are organized into user groups or *communities of interest* with related or overlapping interests. Such groups could be members of a project team, students studying the same subject (perhaps at different institutions), members of an organizational department, and so on. KSE extends and enhances our earlier work on the Jasper information agent, [Davies, Weeks & Revett 1995]. The Jasper agent automates the sharing of WWW-based information among a community of users with related interests. The additions and enhancements embodied in KSE, described below, are informed by the concerns of the knowledge management community and by the results of trials of the Jasper system.

## 2. Storing & Organising Knowledge in KSE

KSE agents are used to store, retrieve, summarize and inform other agents about information considered in some sense valuable by a KSE user. This information may be from a number of sources: it can be a note typed by the user him/herself; it can be an intra/Internet page; or it can be copied from another application on the user's computer.

Each KSE user has a personal agent which holds a user profile based on a set of key phrases which models that user's information needs and interests. As we will see below, KSE agents modify a user's profile based on their usage of the system, seeking to refine the profile to better model the user's interests.

Given the vast amount of information available on WWW, it is preferable to avoid the copying of information from its original location to a local server. Indeed, it could be argued that approach is contrary to the whole ethos of the web. Rather than copying information, therefore, KSE agents store only relevant meta-information. This meta-information is then used to index on the actual information when a retrieval request is made.

When a user finds information of sufficient interest to be stored by KSE, a 'store' request is sent to KSE via a menu option on his or her WWW client. KSE then invites the user to supply an annotation to be stored with the information. Typically, this might be the reason the information was stored and can be very useful for other users in deciding which information retrieved from the KSE store to access. The user can also specify at this point one of a predefined set of interest groups to which to post the information being stored.

In the case of WWW-based information the URL of the WWW page is then added to the KSE store. Similarly, when the user wishes to store some information from a source other than WWW, he or she can enter the information in a text box on their WWW browser and can again supply a relevant annotation. The information thus entered could be from a document in another format or might be a note or snippet of knowledge which the user wishes to enter directly themselves. This information is converted to a WWW HTML page on the user's KSE server and stored as before.

Essentially, the KSE store is a simple term-document matrix  $M$ , wherein:

$$M_{i,j} = \begin{cases} 0 & \text{if term } j \text{ does not occur in document } i \\ n & \text{if term } j \text{ appears in document } i \text{ } n \text{ times} \end{cases}$$

At storage time, KSE agents perform four tasks:

- (i) an abridgement of the information is created, to be held on the user's local KSE server. This summary is created using the ProSum text summarization tool. The summarizer extracts key theme sentences from the document. It is based on the frequency of words and phrases within a document, using the technique of lexical cohesion analysis [Davies & Weeks 1998]. Access to this locally held summary enables a user to quickly assess the content of a page from a local store before deciding whether to retrieve remote information.
- (ii) the content of the page is analysed and matched against every user's profile in the community of interest. If the profile and document match strongly enough, KSE emails the user, informing him or her of the page which has been stored.
- (iii) the information is also matched against the storer's own profile. If the profile does not match the information being stored, the agent will suggest phrases which the user may elect to add to their profile. Thus KSE agents have the capability to adaptively learn their user's interests by observing the user's behaviour.
- (iv) for each document, an entry in the KSE store is made, holding keywords, an abridgement of the document, document title, user annotation, universal resource locator (URL), storer name and date of storage.

In this way, a shared and enhanced information resource is built up in the KSE store. Given that users must make a conscious decision to store information, the quality of the information in the KSE store is high - it is effectively pre-filtered by KSE users. Furthermore, each user leverages the assessment of the information made by all the other users.

### 3. Tacit & Explicit Knowledge in KSE

#### 3.1 Sharing & Retrieving Explicit Knowledge in KSE

We have seen in the section above how KSE allows a user to store information of interest using an enhanced, shared bookmark concept. This facility goes well beyond the bookmarks familiar from WWW browsers such as Netscape Communicator, in that in addition to the reference to the remote WWW document, a summary of the document, an annotation, date of storage and the user who stored the information are recorded in a shared store. Furthermore, KSE can be used to store and organize information from many sources and in many formats (rather than only WWW-based information).

In this section, we discuss the various ways in which KSE facilitates access to and the automatic sharing of the knowledge thus stored.

#### *Email notification*

As described above, when information is stored by a KSE agent, the agent checks the profiles of other agents' users in its 'local community' (the set of users who contribute to that particular KSE store). If the information matches a user's profile with a score above a certain threshold, an email message is automatically generated by the agent and sent to the user concerned, informing the user of the discovery of the information. Thus in cases where a user's profile indicates that they would have a strong interest in the information stored, they are immediately and automatically emailed about the appearance of the information.

## ***Keyword Retrieval – Accessing Information and People***

From their KSE home page, a user can supply a query in the form of a set of key words and phrases in the way familiar from WWW search engines (see Fig. 1). The KSE agent then retrieves the most closely matching pages held in the KSE store, using a vector space matching and scoring algorithm [Salton 1989] as follows:

$$\text{sim}(q,d) = \sum_{i=1,n} (t_{iq} * t_{id}) / \sqrt{[\sum_{i=1,n} t_{iq}^2 * \sum_{i=1,n} t_{id}^2]}$$

where  $t_{iq}$  is the  $i^{\text{th}}$  term in the query  $q$

and  $t_{id}$  is the  $i^{\text{th}}$  term in the document  $d$

and  $n$  is the number of unique terms in the combined profiles of user  $u_1$  and user  $u_2$ .

In addition to these pages from the KSE store, the agent can also retrieve a set of pages from an organization's intranet and from the WWW. The agent then dynamically constructs an HTML page with a ranked list of links to the pages retrieved and their abridgements, along with the scores of each retrieved page. In the case of pages from the KSE store, any annotation made by the original user is also shown. Note that the user can ask their agent to search for other users by selecting the appropriate check box (see [Fig. 1]). We will have more to say about this capability to identify other *users* as well as *information* in section 3.3 when we look at accessing explicit and tacit knowledge using KSE.

### ***What's New***

A user can ask his KSE agent "What's new?" The agent then interrogates the KSE store and retrieves the most recently stored information. It determines which of these pages best match the user's profile. A WWW page is then presented to the user showing a list of links to the recently stored information, along with annotations where provided, date of storage, the storer and an indication of how well the information matches the user's profile.

In addition, a series of buttons are provided so that the user can:

- (i) add their own comment or annotation to information stored by another user;
- (ii) indicate interest or disinterest in a particular piece of information – this feedback will be used to modify the user's profile;
- (iii) examine a locally held summary of the information before deciding to download all the information;
- (iv) ask their KSE agent to identify other users with an interest in the information under consideration (see section 3.2).

This What's New information is in fact displayed on the user's KSE home page, so that whenever they access the system, they are shown the latest information. A typical KSE home page is shown in [Fig. 1].




Figure 1: A Typical KSE Home Page

### Interest Groups

As mentioned above, when a user stores information in KSE, he has an opportunity to specify one of a predefined set of interest groups to which to post the information. Interest groups gather together pages of related information. KSE users can visit interest group pages which are dynamically constructed from the pages which have been posted to them and consist of a list of links to the pages and their abridgements, along with any annotation provided by the original storer of the page. Interest groups are similar to the 'list of links' pages found in many WWW locations, with the important extensions that multiple users can contribute to the list (automatically via the storage process) and that abridgements of the information and annotations by the original storer of the link are also available.



### 3.2 Adaptive Agents

We have already mentioned that KSE agents adapt to better understand their user's interests over time. There are two types of event which trigger the profile adaptation process.

As discussed above, when a user is storing some information, if the profile does not match the information being stored KSE will extract the main themes from the information using a unique theme extraction algorithm [Davies, Weeks & Crabtree 1998]. The user's agent then suggests to the user new phrases they may wish to add to their profile. The user can accept or decline these suggestions.

Similarly, when information stored by another member of the community is retrieved by a user using one of the methods described in section 3.1, a feedback mechanism is provided whereby the user can indicate interest or disinterest in the information by clicking on a button (indicated by ☺ or ☹ as shown in Fig. 1). Again, the agent will suggest to the user phrases which should be added to or removed from the profile.

### 3.3 Finding People & Tacit Knowledge in KSE

In the section 3.1, we focused on the *technical* aspects of KSE and on explicit knowledge. We now turn to the *social* aspects of the system and tacit knowledge.

A large amount of the knowledge within an organization may of course not be codified: it may be personal, context-specific and difficult to write down. Such knowledge is referred to as *tacit* knowledge [Polyani 1966]. When tacit knowledge is difficult to make explicit (codify), we need to find new ways of transmitting the knowledge through the organization. Failure to do so can lead to loss of expertise when people leave, failure to benefit from the experience of others, needless duplication of a learning process, and so on.

One way in which a system such as KSE can encourage the sharing of tacit knowledge is by using its knowledge of the users within a community of interest to put people who would benefit from sharing their (tacit) knowledge in touch with one another automatically.

User profiles can be used by the KSE system to enable people to find other users with similar interests. The user can request KSE via their WWW client to show them a list of people with similar interests to themselves. KSE then compares their profile with that of every user in the store and returns to the WWW client for viewing by the user a list of names of users whose interests closely match their own. Each name is represented as a hypertext link which when clicked initiates an email message to the named user. Profiles in KSE are a set of phrases and the vector space model can be used to measure the similarity between two users  $u_1$  and  $u_2$ :

$$\text{sim}(u_1, u_2) = \sum_{i=1, n} (t_{i1} * t_{i2}) / \sqrt{[\sum_{i=1, n} t_{i1}^2 * \sum_{i=1, n} t_{i2}^2]}$$

where  $t_{i1}$  is the  $i^{\text{th}}$  term in the profile for user  $u_1$

and  $n$  is the number of unique terms in the combined profiles of user  $u_1$  and user  $u_2$ .

A threshold can then be used to determine which users are of sufficient similarity to be deemed to 'match'.

This notion is also extended to allow a user to view a set of users who are interested in a given document. When KSE presents a document to the user via their WWW client using the "What's new?" facility (see above), there is also a hyperlink presented which when clicked will initiate a process in the KSE system to match users against the document in question, again using the vector cosine model. KSE determines which members of the community match the relevant document above a predetermined threshold figure and presents back to the user via their WWW client a list of user names. As before, these names are presented as hypertext links, allowing the user to initiate an email message to any or all of the users who match the document.

In addition, as we have already discussed in section 3.1, a user can carry out a keyword search on other users and thus identify users with an interest in a particular subject.

In this way, KSE, while not claiming to actually capture tacit knowledge, provides an environment which actively encourages the sharing of tacit knowledge, perhaps by people who previously would not otherwise have been aware of each other's existence.

#### 4. Conclusions

We have described KSE, a tool for encouraging the exchange of tacit and explicit knowledge amongst a community of interest. KSE builds on our earlier work with the Jasper system and incorporates a series of extensions including:

- the ability to store information from multiple sources (rather than simply WWW pages);
- the facility for multiple users to annotate information;
- the ability to search for other *users* (as well as *information*) in a variety of ways;
- the facility for users to provide feedback on retrieved information in order to modify their profile.

[Fig. 2] shows the main features of the KSE system of agents, people and information: users can create, store and organize information; they can locate relevant information stored by others in their community of interest and they can contact other users with overlapping interests.




Figure 2: The KSE

In his seminal article, Bush [Bush 1945] describes a tool to aid the human mind in dealing with information. He states that previous scientific advances have helped humans in their interactions with the physical world but have not assisted humans in dealing with large amounts of knowledge and information. Bush proposed a tool called a 'memex' which could augment human memory through associative memory, where related pieces of information are linked. Trails through these links could then be stored and shared by others. WWW itself fulfils Bush's vision in some respects: Bush's associative memory can be seen in the hyperlinks of WWW. What is lacking is a way of organising this vast 'memory' of WWW pages into coherent 'trails' which can be saved and communicated to others. Currently, only relatively simplistic bookmarks and menus are available.

KSE goes some way to addressing these problems by providing agents which, as we have seen, can store meta-information about WWW pages which can then be used to retrieve relevant pages quickly and easily and share the information contained in those pages with other users with the same interests. In addition, KSE can put users



in touch with other users who share their interests in general or who share their interest in a specific document. In this respect, KSE is moving into the area of tacit knowledge in the sense that it is suggesting useful person-to-person interactions wherein tacit knowledge can be exchanged. So as well as addressing the issue of how best to search WWW for information, KSE is an attempt to address the complementary problem of how best to store information once it has been found and how to share information with others with the same interests. KSE is a step along the road towards the original vision for WWW [Berners-Lee 1991] as a network which supports fully co-operative working and the sharing of knowledge.

## 5. References

- [Pollock & Hockley 1996] Pollock, A. & Hockley, A. (1996). What's Wrong with Internet Searching? *Designing the Web: Empirical Studies Conference, Microsoft Usability Group, October 1996* Microsoft, Redmond, US.
- [Cochrane 1997] Cochrane, R. (1997). Unleashing the Intranet. *BT Technology Journal*, Vol. 15 No.2 pp107 – 113, April 1997.
- [Nonaka & Takeuchi 1995] Nonaka, I. & Takeuchi, H. (1995). *The Knowledge-Creating Company*, Oxford: Oxford University Press.
- [Davies & Weeks 1998] Davies, N.J. & Weeks, R. (1998). ProSum – profile-based text summarization, *First Automatic Text Summarization Conference (SUMMAC-1)*, May 1998, Virginia, USA.
- [Salton 1989] Salton, G. (1989). *Automatic Text Processing*. Reading, Mass., USA: Addison-Wesley.
- [Davies, Weeks & Crabtree 1998] Davies, N.J., Weeks, R. & Crabtree, B. (1998). *Document Theme Extraction*, forthcoming, 1998.
- [Polyani 1966] Polyani, M. (1966). *The Tacit Dimension*, London: Routledge & Paul.
- [Bush 1945] Bush, V. (1945). As We May Think. *The Atlantic Monthly*, July 1945. Also available as <http://www.isg.sfu.ca/~duchier/misc/vbush/>
- [Berners-Lee 1991] Berners-Lee, T. (1991). <http://www.w3.org/Summary.html>
- [Davies, Weeks & Revett 1995] John Davies, Richard Weeks & Mike Revett (1995). Jasper: Communicating Information Agents for WWW. *4th International WWW Conference, December 1995*, Boston, USA

## Acknowledgements

Thanks are due to Ian Matthews for visual design consultancy on the KSE project.



**U.S. Department of Education**  
Office of Educational Research and Improvement (OERI)  
National Library of Education (NLE)  
Educational Resources Information Center (ERIC)



## **NOTICE**

### **REPRODUCTION BASIS**



This document is covered by a signed "Reproduction Release (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form.



This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket").